

INDEX MAPS. **T. 6 S R. 11 W. 2^d Mer.**

Measure Page 464

	470	470	470	470	469	469
471 6	455 5	454 4	453 3	453 2	449 1	447
	456	456	455	454	453	449
471 7	456 8	456 9	455 10	454 11	449 12	447
	457	457	458	458	458	450
471 18	460 17	459 16	459 15	459 14	450 13	447
	460	460	461	461	459	450
472 19	462 20	462 21	461 22	461 23	450 24	468
	462	463	463	463	457	457 468
472 30	464 29	464 28	464 27	452 26	457 25	
	465	465	466	466	452	
472 31	465 32	466 33	466 34	452 35	36	
	448	448	448	447	453	

OHIO R.

T. 7 S R. 11 W. 2^d Mer.

Measure Page 464

	495	494	494	494	494	
495 6	477 5	476 4	475 3		2	1
	479	477	476	475		
496 7	479 8	477 9	475 10		11	12
	479	480	478	476		
496 18	480 17	484 16	478 15		14	13
	480	489	484	478	479	
496 19	20	489 21	485 22	482 23	484 24	
		489	489	485	482	482
30	29	490 28	486 27	485 26	483 25	
		490	490	487	486	483
31	32	491 33	491 34	486 35	483 36	
		488	488	487	487	483

OHIO R.

The figures on the lines refer to the page.

Township No 7. South of Range No 11. West of the 1st Mer.

- South Between Sec? 2. & 3. T. 7. S. R. No 11. W. 11. West.
22. 70 To a Maple 12. in. diam? stands in the line
26. 62 To a Cottonwood 24 in? " " " "
30. 70 To a Post on the Bank of the Chio. from which a Maple 12. in? diam? bears S. 70. N. 7. lbs. dist? & a Mulberry 12 in? diam? bears N. 52. 1/2 E. 35. lbs. dist? Low Bottom.
- Timber. Maple & Cottonwood. Jan 21. 1806

- South Between Sec? 3. & 4. T. 7. S. R. No 11. W.
20. 00 To a Bayou 150 lbs. wide; course S. 20. W.
26. 12 To a Hickory 12. in? diam? which stands in the line
33. 00 To a Pond 350. lbs wide. Course W.
40. 00 To a Post for the Cor to 1/4 Sec. from which a Sugar 10. in? diam? bears N. 12. E. 6. lbs. dist? & a Sugar tree 12. in? diam? bears N. 68. W. 23. lbs. dist?
48. 25 To a Sugar tree 22. in? diam? which stands in the line.
49. 00 300 lbs. through the Bend of Bayou leaving it on the West.
69. 50 To a Pond 500 lbs wide. course S. 50. W.
80. 00 To the mile Post set for the Cor. to Sec? 3. 4. 9. & 10 from which a White Oak 22. in? diam? bears N. 32. W. 56. lbs. dist? & a B. Oak 32 in? diam? bears S. 83. E. 100. lbs. dist? - Ground, Broken to the Bayou. then Bottom: Timber. Oak Poplar. Sugar & Hickory

- East Between Sec? 3. & 10. T. 7. S. R. No 11. W.
16. 50 To a B. Oak 36. in? diam? which stands in the line.
38. 50 To the Post Road.
40. 00 To a Post for the Cor to 1/4 Sec. from which a Sugar 15 in? diam? bears N. 32. E. 22. lbs. dist? & a Sugar 14 in? diam? bears S. 11. E. 30. lbs. dist?
43. 94 To the Post on the Bank of the Chio. from which a Sugar 21. in? diam? bears N. 13. W. 19. lbs. dist? & a Sugar 12. in? diam? bears S. 35. W. 23. lbs. dist? - Level Bottom.
- Timber. Oak. Walnut. Ash. & Sugar trees.

- South Between Sec? 9. & 10. T. 7. S. R. No 11. W.
6. 12 To a B. Oak 24. in? diam? stands in the line

I. No 7. I. No. No 11. W. 2nd Mer.

40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a B. Oak 18 in. diam. bears N. 81. E. 12. lbs. dist. & a W. Oak 21 in. diam. bears N. 40. E. 20. lbs. dist.
60. 00 To an R. Oak 36 in. diam. which stands in the line.
74. 00 To a Pond 4.20 lbs. wide. Course S. 50. W.
50. 00 To the Mile Post set for the Cor. to Sec. 9. 10. 15. & 16. from which a Sugar 12 in. diam. bears N. 63. E. 15. lbs. dist. & a Sugar 18 in. diam. bears N. 21. W. 25. lbs. dist.
- Bottom Land: Timber. Sugar tree Oak. & Walnuts.

- East Between Sec. 10. & 15. I. No 7. I. No. No 11. W.
30. 00 10 chains through Pond. Course S. 70. W.
40. 00 Set a Post for the Cor. to $\frac{1}{4}$ Sec. from which a Gum 16 in. diam. bears N. 86. E. 22. lbs. dist. & an Ash 30 in. in diam. bears S. 77. W. 32. lbs. dist.
51. 69 To a R. Oak in the Bank of the Ohio River. from which a Sugar 16 in. diam. bears N. 34. W. 50. lbs. dist.
- Genl. Bottom Land. Timber Oak. Walnuts. Ash & Sugar Gum. Jun 17th 1806.

- South Between Sec. 4. & 5. I. No 7. I. No. No 11. W.
- 14 50 To a Branch 10 lbs. wide. Course S. 40 W.
24. 00 To a Branch 16 lbs. " " S. 30 E.
40. 00 Set a $\frac{1}{4}$ Sec. Post from which a Sugar 8 in. diam. bears N. 37. E. 12. lbs. dist. & a Sugar 8 in. diam. bears S. 12. W. 22. lbs. dist.
64. 00 To a Branch 25. lbs. wide. Course S. 10. W. Cropping the same several times bearing it on the W. at 75. chains
50. 00 To the Mile Post set for the Cor. to Sec. 4. 5. 8. & 9. from which a W. Oak 14 in. diam. bears N. 81. E. 50. lbs. dist. & a W. Oak 12 in. diam. bears S. 63. E. 91. lbs. dist.
- Land some Broken: Timber. Oak. Poplar. & Sugar.

- East Between Sec. 4. & 9. I. No 7. I. No. No 11. W.
7. 50 To a Branch 10 lbs. wide. Course N. 50. W.
40. 00 Set a $\frac{1}{4}$ Sec. Post from which a Sugar 12 in. diam. bears S. 61. E. 32. lbs. dist. & a W. Oak 15 in. bears N. 48. E. 33. lbs. dist.

T. N. 7. S. R. N. 11. W. 2nd Mer.

55. 00 Bottom Land to the Port.
 61. 00 To a Bayou 150. lks. wide. Course S. 30. W.
 70. 00 To a Pond 350. " " " S. 60. W.
 80. 00 Intersecting the N. & S. line at the Port set for the Cor. to
 Sec. 3. 4. 9. & 10. Timber. Oak Poplar. Walnut. & Ash.

- South Between Sec. 5. & 6 Town 7. S Range N. 11. W.
 34. 50 To a B. Oak 20 in. diam. which stands in the line
 40. 00 Get a Post for the Cor. to 44 Sec. from which a W. Oak 12 in.
 diam. bears N. 12. E. 20. lks. dist. & a Poplar 10 in. diam. bears
 S. 11. W. 53. lks. dist.
 54. 70 To a Poplar. 20 in. diam. stands in the line.
 50 00 To the Mile Post set for the Cor. to Sec. 5. 6. 7. & 8. from which
 a B. Oak 22 in. diam. bears S. 34. W. 33. lks. dist. & a B. Oak
 24 in. diam. bears S. E. 43. lks. dist. Oak & Poplar. Hilky

- East Between Sec. 5. & 8. T. 7. S. R. N. 11. W.
 10. 00 To a Branch 6. lks. wide. Course S. 20. E.
 39. 50 Get a Post for the Cor. to 1/4 Sec. from which a Gum 12 in.
 diam. bears S. 77. W. 46. lks. dist. & a Gum 13 in. diam.
 bears S. 56. E. 12. lks. dist.
 33. 00 To a Branch 25. lks. wide. Course S.
 79. 60 Intersecting the N. & S. line 10. lks. N. of the Port set for the
 Cor. to Sec. 4. 5. 8. & 9. Land Hilky. Timber. Oak. &
 Poplar. & some cane on the Branch.

- South Between Sec. 5. & 9. T. N. 7. S. R. N. 11. W.
 19. 50 To a W. Oak 24 in. diam. stands in the line.
 31. 50 To a Branch 50. lks. wide. Course S. 25. E.
 36. 00 To a Bayou 150. lks. " " S. 60. W.
 40. 00 Get a 1/4 Sec. Post from which a W. Oak 38 in. diam. bears N.
 63. E. 28. lks. dist. & an Elm 12 in. diam. bears S. 78. E. 21. lks. dist.
 55. 58 To a Hickory 30 in. diam. which stands in the line
 78. 00 To a Cypress Swamp.
 80. 00 To the Mile Post in Swamp from which a Cypress 20 in. diam.
 bears N. 30. W. 29. lks. dist. & a 22 in. diam. bears S. 16. W. 10. lks. dist.

T. N^o 7. S. Co. N^o 11. W. 2nd Mer.

diam^r. bears N. 7. E. 11. lks. dir^t. Rich Yang. Timber. Poplar.
Walnut. Sugar. & Oak.

North Between Sec^s 14 & 15. T. N^o 7. S. Co. N^o 11. W.

27. 32 To a Post on the Bank of the Chiv. from which an R. Oak 13. in^r
diam^r. bears S. 50. E. 6. lks. dir^t. & an R. Oak 27. in^r. diam^r. bears
N. 65. W. 25. lks. dir^t. Timber. Oak. Poplar. Gum. & Hickory.
Jun^y 3rd 1806.

West Between Sec^s 6 & 7. T. 7. S. Co. N^o 11. W. 2nd Mer.

16. 12 To a Poplar 33. in^r. diam^r. which stands in the line.
111. 00 To a Post for the Cor. to 44 Sec from which a W. Oak 36. in^r. diam^r.
bears S. 50. W. 20. lks. dir^t. & a Sugar 7. in^r. diam^r. bears N. 77. W. 24.
40. 62 To a Branch 3. lks. wide. Course N. 50. W.
51. 30 To a Do. - 10. " " " S. 45. W.
65. 00 To a Do. - 30. " " " S. 35. E.
57. 00 To a Branch 40. " " " South.
110. 09 Intersected the W. Range 5.50 lks. N. of the Post & to a
Post. from which an R. Oak 27. in^r. diam^r. bears S. 25. E. 39.
lks. dir^t. & a Maple 5. in^r. diam^r. bears N. 24. E. 18. lks. dir^t.
Land. Hilly. Timber. Oak. Sugar. &c.

South Between Sec^s 7 & 8. T. N^o 7. S. Co. N^o 11. W.

23. 10 To an R. Oak 20. in^r. diam^r. stands in the line
40. 00 To a Post for the Cor. to 44 Sec. from which a Poplar 24. in^r.
diam^r. bears N. 19. W. 48. lks. dir^t. & a W. Oak 18. in^r. diam^r.
bears N. 47. W. 26. lks. dir^t.
68. 50 To the River Bottom.
72. 25 To the Bank of the Bayou 200. lks. wide. Course S. 60. W.
30. 00 To the Mile Post set for the Cor. of Sec 7. 8. 17. 18. from which
a W. Oak 28. in^r. diam^r. bears S. 30. W. 25. lks. dir^t. & an Elm 10.
in^r. diam^r. bears N. 41. W. 6. lks. dir^t. - Land Hilly to the
Bottom. Timber. Oak. Poplar. Sugar. & Hickory.

West Between Sec^s 7 & 18. T. N^o 7. S. Co. N^o 11. W.

4. 00 To a Bayou 200. lks. wide. Course S. 45. W.

T. N. 7. S. R. N. 11. W. 2nd Mer.

12. 50 Hills 30. chains.
 27. 00 To a Branch 10. lks. wide. Course S.
 110. 00 Set a Post for the bar to $\frac{1}{4}$ Sec. from which a W. Oak 24. in. in diam. bears S. 43. E. 7 lks. dist. & an Elm 10. in. diam. bears S. 1. E. 9. lks. dist.
 75. 50 To a Branch 50. lks. wide. Course S.
 80. 30 To a W. Oak 36. in. diam. which stands in the line.
 110. 41 Intersecting the W. Range line. S. 46. lks. N of the Post. & set a Post. from which a Sugar 14. in. diam. bears N. 54. E. 24. lks. dist. & a W. Oak 12. in. diam. bears S. 65. E. 34. lks. dist.
 Over Hills from the last Branch. Timber. Hickory. Oak, Ash & Sugar tree.

East Between Sec. 8. & 17. T. N. 7. S. R. N. 11. W.

14. 75 To a Bayou 200. lks. wide. Course N. 30. W.
 13. 75 To the same " " " " S. 45. W.
 27. 25 To a Pond 300. lks. wide. Course N.
 40. 00 Set a Post for the bar to $\frac{1}{4}$ Sec. from which an Elm 20. in. diam. bears S. 78. E. 28. lks. dist. & a Water pond 13. in. diam. bears S. 22. E. 26. lks. dist.
 614. 50 A Pond to the Mile Post. Timber. Oak. Sugar, Hickory. & Cypress trees in the Pond.

South Between Sec. 17. & 18. T. N. 7. S. R. N. 11. W.

13. 12 To a Hickory 18. in. diam. stands in the line.
 23. 00 To a Swamp 500 lks. wide. Course S. 70. W.
 140. 00 Set a Post for the bar to $\frac{1}{4}$ Sec. from which a Sassafras 7. in. diam. bears S. 10. E. 10. lks. wide. & an Ash 12. in. in diam. bears N. 6. W. 14. lks. dist.
 44. 50 To a Pond 700. lks. wide. Course W.
 72. 00 To a Pond " " " " W.
 80. 00 Set the Mile Post in the Pond. Timber. Oak. Sugar & Hickory. Cypress in the Pond.

West Between Sec. 18. & 19. T. N. 7. S. R. N. 11. W.
Through the Pond.

T. P. 7. S. Co. N. M. W. 2nd Mer.

110. 00 To a Post for the Cor. to 1/4 Sec. from which an Elm 12. in.
diam? bears N. 72. E. 39. lbs. dist? & a Hickory 10. in? diam?
bears S. 53. E. 24. lbs. dist? Feb^y 3rd 1806.
57. 50 To a Branch 25. lbs. wide. Course S.
60. 25 To a Bayou 200 lbs. wide " S. 30. E.
62. 50 Hills. to the line.
71. 88 To a Branch 2. lbs. wide Course N. 30. E.
80. 64 To a Poplar 33. in? diam? which stands in the line.
110. 14 Intersected the W. Range line 10. 12. lbs. N. of the Post. from
which an Oc. Oak 12. in? diam? bears S. 52. E. 11. lbs. dist? & an
Ash 8. in? diam? bears N. 74. E. 39. lbs. dist? Oak. Ash & Hickory

Feb^y 4th 1806.

Meanders of the Chic. from the end of the line
Between Ranges 11 & 12.

Course. Dist

N. 74 E 18. 67 A Spring at 3. 23. 10. lbs. wide: heads N.

N. 56. E 6. 91

N. 60 E 26. 44

N. 72 1/2 E 11. 80 A Bayou 250. lbs. wide. Course N. 45. E.

From the above Range line 5 chains the Hill. puts
into the River. & continues 50. ch? & is very Rocky.

Meanders of the Chic from a Post on the Bank. between
Sec^s 14 & 23. Running up the River. & Bending thence
on as follows.

Course Dist

N. 56. W. 10. 14

N. 45 1/2 W. 13. 85.

N. 37. W 12. 29 To a Post Between Sec^s 14 & 15.

N. 38. W. 7. 23

N. 31. W. 37. 39

N. 25. W 11. 18

N. 20. W 8. 54

Same 15. 64

N. 12 1/2 W 12. 61 To an Oc. Oak between Sec^s 10. & 15.

N. 7 1/2 W 9. 28

Feb^y 4th 1806.

N. 2. W 28. 30

T. N. 7. S. R. N. M. N. 2nd Mer.

15. E 17. 52 To a Post Between Sec? 3. & 10.
 N. 17. E 16. 56
 N. 39. E 16. 82 Pacing the Upper end of the Bayou at 3. 12
 Leaving it Runs N. 20. W.
 145 E 29. 00 To a Post Between Sec? 2. & 3.
 N. 47. E 30. 60
 N. 52. 1/2 E 16 54 To a Post Between Sec? 2. & 35. Towns 6. & 7.

- South Between Sec? 22. & 23. T. N. 7. S. R. N. M. N.
 14. 25 To a Gum 24. in? diam? which stands in the line.
 37. 50 12. 50. Through a Swamp. Course S. 80. W.
 40. 00 Set a Post for the bar to 1/4 Sec. from which an Oak 13. in? diam? bears S. 64. E. 14. lbs. dist? Yew. Ash 12. in? diam? bears West 28. lbs. dist?
 50. 23 To a Hickory 21. in? diam? stands in the line
 80. 00 Set the Mile Post in the edge of a Pond. Course S. 80. W.
 from which an Elm 10. in? diam? bears N. 44. W. 32. lbs. dist?
 Yew Maple 10. in? diam? bears S. 35. E. 33 lbs. dist?
 Land. live. Timber. Oak. Ash. Sugar & Poplar

- East Between Sec? 23. & 26. T. N. 7. S. R. N. M. N.
 9. 50. Through a Pond. Course S. 75. W.
 144 50 To a Poplar 36. in? diam? stands in the line.
 40. 00 Set a Post for the bar to 1/4 Sec. from which a Hoopwood 12. in? diam? bears S. 16. 1/2 E. 19 lbs. dist? & a Poplar 18. in? diam? bears N. 28. E. 25 lbs. dist?
 80. 00 To the Mile post set for the bar to Sec? 23. 24. 25. & 26 from which a Hickory 22. in? diam? bears S. 8. E. 19. lbs. dist? & a Buckeye 12. in? diam? bears N. 21. W. 34 lbs. dist?
 Land live & Chick; some Brake from the Pond.
 Timber. Poplar. Walnut. Hoopwood. Ash. & Buckeye.

- East Between Sec? 24. & 25. T. N. 7. S. R. N. M. N.
 4. 00 To a B. Walnut 30. in? diam? stands in the line
 15 50 To a Pond 3. 50 lbs. wide. Course S. 45. E.
 35. 79 To a Post in the Bank of the Ohio. from which a Hickory

T. N. 7. S. R. A. M. W. 2nd Mer.

12. in. diam. bears N. 30. E. 19. lbs. dist. Ya Sugar tree 21. in. diam. bears S. — W. 60. lbs. dist. Come to the Pond.
 Timber. Walnut. Ash. Hopwood. & Elm. Apr. 4th 1806.

South Between Sec. 25. & 26. T. N. 7. S. R. A. M. W.

20. 27 To a Hopwood 18 in. diam. stands in the line.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hopwood 10. in. diam. bears S. 66. E. 18. lbs. dist. Ya Sugar 8. in. diam. bears N. 56. W. 18. lbs. dist.

65. 76 To an Ash 16. in. diam. which stands in the line.

80. 00 To the Mile Post for the Cor. of Sec. 25. & 26. 35. & 36. from which an Ash 12. in. diam. bears N. 81. W. 18. lbs. dist. Ya an Ash 13. in. diam. bears S. 73. E. 49. lbs. dist. — Good Land. & plenty of Game. Timber. Ash. Walnut. Elm & Sugar.

East Between Sec. 25. & 36. T. N. 7. S. R. A. M. W.

32. 57 To a W. Oak 24 in. diam. which stands in the line.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a No Locust. 18. in. diam. bears N. 84. W. 16. lbs. dist. Ya Hopwood 8. in. diam. bears N. 58. E. 9. lbs. dist.

51. 07 To a Hickory 38. in. diam. which stands in the line.

60. 60 Set a Post on the Bank of the Ohio from which a Mulberry 20. in. diam. bears N. 56. W. 36. lbs. dist. Ya Hopwood 7. in. diam. bears S. 2. E. 33. lbs. dist. — Good Land & Chick. Bettens Land. Timber. Game. Ash. Walnut. Hopwood. & Sugar.

South Between Sec. 35. & 36. T. N. 7. S. R. A. M. W.

40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Hickory 8. in. diam. bears N. 54. E. 8. lbs. dist. Ya an Elm 14. in. diam. bears S. 54. E. 34. lbs. dist.

80. 00 To the Mile Post set for the Cor. to Sec. 35. & 36. from which a Hickory 11. in. diam. bears S. 1. E. 26. lbs. dist. Ya a Pe 15. in. diam. bears N. 89. W. 45. lbs. dist. — Good Land & Chick. Timber. Game & Walnut. Hopwood & Sugar.

East Between Towns 7. & 8. Range. M. & Sec. 36. & 1.

T. N. 7. S. R. N. M. W. 2nd Mer.

119. 00 5.00 To the Cypress Pond. Course N. 70. W.
 72. 50 Cypress Pond to the Post. Cor of Sec. 8. 9. 16. & 17.
 Runs West. Sand Gravel. Timber, Oak, Hickory & Ash

South Between Sec. 21. & 22. T. N. 7. S. R. N. M. W.
 16. 50 1.50 Swamp to the West,
 24. 07 To a Gum 20. in. diam. which stands in the line.
 40. 00 Set a Post for the Cor to 1/4 Sec. from which a Sugar 7. in.
 diam. bears N. 18. W. 9. lbs. dist. & a Sugar 10. in. diam. bears
 N. 87. E. 13. lbs. dist.
 50. 50 To a Pond 3.00 lbs. wide. Course West.
 57. 50 To a Cypress Swamp 9.00 lbs. wide. Course S. 60. W.
 80. 00 To the mile post set for the Cor of Sec. 21. 22. 27. & 28.
 from which a Poplar 36. in. diam. bears N. 60. W. 34. lbs. dist.
 & a Sugar 22. in. diam. bears N. 64. E. 44. lbs. dist. Timber:
 Oak, Hickory, Poplar & Sugar tree.

East On a Random line Between Sec. 22. & 27. S. 7. R. N. M.
 110. 00 Set a Swamp? Post for the Cor. to 1/4 Sec.
 75. 00 To a Pond 350. lbs. wide; Course S. 65. W.
 79. 25 Under set the N. & S. line 50. lbs. N. of the Post set for the
 Cor to Sec. 22. 23. 26. & 27.

West On the True line Between Sec. 22. & 27. Blazed
 39. 62 1/2 Moved the Swamp? Post. from which a Hickory 12.
 in. diam. bears N. 4. E. 12. lbs. dist. & a 13. in. diam.
 bears S. 35. E. 37. lbs. dist. Sand Gravel. Timber, Oak,
 Ash, Gum & Poplar. Hickory & small hane. Apr. 8. 1806

South Between Sec. 26. & 27. T. N. 7. S. R. N. M. W.
 4. 75 Through a Pond. Course N. 75. W.
 4. 92 To an Ash 23. in. diam. which stands in the line.
 17. 50 8.00 Through a Pond. Course S. 55. W.
 26. 50 3.25 " " " " N. 70. W.
 110. 00 Set a 1/4 Sec. Post. from which an Ash 13. in. diam. bears S.
 56. W. 20. lbs. dist. & an Ash 12. in. diam. bears S. 89. E. 26. lbs. dist.

T. N. 7. S. Co. N. 11. W. 2nd Mer.

- 144 50 1100 To the Pond, Course S. 80. W.
 49. 50 3.50. " " Pond " N. 75. W.
 63. 50 To an Ash 22. in. diam. which stands in the line.
 73. 50 To a Pond 275. lbs. wide. Course S. 75. W.
 80. 00 To the Mile Post etc for the Cor. to Sec. 26. 27. 34. & 35.
 from which a Hickory 12. in. diam. bears N. 36. W. 14 lbs. dist.
 & a S. 20. in. diam. bears S. 50. W. 32 lbs. dist. Small Gum &
 Timber, same. Oak. Hickory. Poplar & Ash.

- Cor. 6 Random line Between Sec. 26. & 35. T. 7. S. Co. N. 11. W.
 110. 00 Set a Temp. Post for the Cor. to 1/4 Sec.
 80. 50 Intersect the N. & S. line 25. lbs. N. of the Post etc for
 the Cor. to Sec. 25. 26. 35. & 36. Timber. same. Oak. Ash
 Hickory. Walnut & Sugar tree.

- West On the True line Between Sec. 26. & 35. Blazed Buck.
 40. 25 Meet the Temp. Post. from which a Hickory 12. in.
 diam. bears N. 47. W. 24. lbs. dist. & a S. 13. in. i
 " " N. 31. E. 25. " "

- South Between Sec. 34. & 35. T. N. 7. S. Co. N. 11. W.
 12. 00 To a Pond 250 lbs. wide. Course N. 75. W.
 40. 00 Set a 1/4 Sec Post from which a Sugar 22. in. diam. bears
 S. 32 W. 30 lbs. dist. & a S. 16. in. diam. bears N. 70. E. 29 lbs.
 54. 33 To the Pond. Course S. 75. W. same. Oak. Hick. Sugar, & Ash

- South Between Sec. 27. & 28. T. N. 7. S. Co. N. 11. W.
 13. 00 To a Pond 100. lbs. wide. Course W.
 18 00 " " Do 100 " " " W.
 24. 00 " " Do 150. " " " W.
 32. 00 " " Do 7. 00. " " " W.
 40. 00 Set a Post for the Cor. to 1/4 Sec. from which a Willow 8.
 in. diam. bears N. 54. E. 21. lbs. dist. & a Willow 10. in.
 diam. bears N. 87. E. 16. lbs. dist.
 50. 00 11. 00 To a Pond Course W.
 69. 00 1. 00 To a Pond " W.

T. N. 7. G. R. M. M. 2nd Mer

73. 50 A Pond to the Port. Course N. 70. W.
 50. 00 To the Port set for the Cor. of Sec? 27. 28. 33. & 34. from
 which a W Oak 14. in. diam. bears N. 20. W. 17. lbs. dist. & an
 Ash 10. in. diam. bears N. 53. E. 20. lbs. dist.

- East On a Sundry line Between Sec? 27. & 34. T. 7. I. R. M. M.
 17. 00 Through a Pond which runs N. 70. W.
 21. 00 11. 00 " " Pond " " N. 70. W.
 40. 00 Set a Temporary Port for the Cor to 1/4 Sec.
 79. 60 Intersected the N. & G. line at the Port set for the Cor to Sec?
 26. 27. 34. & 35. Timber. Oak. Hickory. Ash. & Poplar
 covered with cane the Ponds excepted.

- * West On the Town line Between Sec? 35. & 2. Towns 7 & 8.
 17. 88 To a Hickory 30. in. diam. which stands in the line
 40. 00 Set a Port for the Cor to 1/4 Sec. from which a Hickory 18. in.
 diam. bears N. 51. E. 18. lbs. dist. & a W Oak 36. in. diam. bears
 S. 38. W. 22. lbs. dist.
 144. 50 1430 Through a Pond, Course S. 70. W.
 50. 00 To the mile Port. from which a Gum 28. in. diam. bears S. 22.
 E. 9. lbs. dist. & a Gum 30. in. diam. bears N. 15. W. 28. lbs. dist.
 Level Land; & covered with cane. Timber. Oak. Gum. Ash,
 Hickory & some Walnut.

- * West On True line Between Sec? 27. & 34. Blazed.
 38. 84 To a Hickory 18. in. diam. which stands in the line.
 39. 50 Moved the Temporary Port. from which an Elm 30. in. diam.
 bears S. 30. E. 34. lbs. dist. & a Hick? 10. in. diam. bears S. 88. W.
 17. lbs. dist. Apr. 8th 1806.

- West On the Town line of Sec. 3. & 34. Towns 7 & 8.
 19. 74 To a Hickory 30. in. diam. which stands in the line.
 40. 00 Set a Port for the Cor. to 1/4 Sec. from which a Hickory 10.
 in. diam. bears N. 54. W. 11. lbs. dist. & a Hopwood 10. in. in
 diam. bears S. 49. E. 30. lbs. dist.
 57. 50 To a Hickory 33. in. diam. which stands in the line.

T. N. 7. S. R. N. 11. W. 2nd Mer.

70. 00 To a Pond 3.50 lbs. wide. Course N 50. W.
 80. 00 To an Ash 15 in? diam? is ber. from which a Hickory
 10. in? diam? bears N 39. E. 32. lbs. dist? & a Hornwood 10.
 in? diam? bears S 22. E. 20. lbs. dist? Good Land.
 Timber. Same. Oak Ash. Hickory. Gum. & Hornwood

West Between Sec? 4. & 33. On the Town line.

19. 50 To a Pond 3.50. lbs. wide. Course N 60. W.
 33. 50 To a Pond 1.50 - - - - - N 50. W.
 40. 00 Set a Post for the ber. to 1/4 Che. from which a B. Walnut
 22 in? diam? bears N 40. E. 8. lbs. dist? & a Hickory 20. in?
 diam? bears - 72 1/2. E. 15. lbs. dist?
 59. 75 To a B. Walnut. 30. in? diam? which stands in the line.
 64. 50 To a Pond 200. lbs. wide. Course N 40. W.
 80. 00 To the Mile Post ber to Sec? 4. & 5. 33. & 34. from which
 an Ash 22. in? diam? bears S 15. E. 14. lbs. dist? & a Hornwood
 14. in? diam? bears N 74. E. 25. lbs. dist? - Good Land.
 Same to the last Pond. Timber. Walnut Ash. Gum.
 Hornwood. & Hickory.

West Between Sec? 5. & 32. Towns 7. & 8.

33. 00 To a Pond 4.80. lbs. wide. Course N 10. E. The above Pond
 is deep. & the dist is taken by an angle of 45.
 40. 00 Set a Post for the ber to 1/4 Che. from which a Box Elder 12.
 in? diam? bears N 64. E. 52. lbs. dist? & a Maple 20. in? in
 diam? bears S 3. E. 50. lbs. dist?
 54. 18 To a Cottonwood 33. in? diam? which stands in the line
 62. 11 Set a Post on the Bank of the Ohio from which a Cotton
 wood 20. in? diam? bears N 7. W. 14. lbs. dist? & a A. 22.
 in? diam? bears S 28. E. 27. lbs. dist? Low Bottom Land.
 Timber. Cottonwood Maple. Hickory &c. Apr 9th 1806.

South Between Sec? 19. & 20. S. 7. S. R. N. 11. W.

3.50 To a Pond. Course W.

19. 69 To a W. Oak 22. in? diam? which stands in the line.
 25. 15 To a Post on the Bank of the Ohio River. from which a

T. N^o 7 S. R. N^o 11 W. 2nd Mer. (Ind.)

79.20 Intersected the N. & S. line 10 links S of the post set for the cor. to Sec. 21, 22, 27, 28; Oak, Poplar, Sugar Ash.

West On true line between Sec 21 & 28 T. N^o 7 S. R. N^o 11 W.
Clayd back

39.60 Moved the temporary post from which a
Sugar 13 in dia. bears S 82 E. 35 links dist; and a
Do 16 " " " N 82 W 18 " "

South Between Sec 28 & 29 T. N^o 7 S. R. N^o 11 W.

00.50 450 Cypress Spruce Course W.

10 00 100 " " " "

35.11 To a Hick 16 in dia. standst in the line.

32.00 " " Brook 10 lks mid, Course W.

40.00 Set a post for the cor. to 1/4 Sec. from which a
Hick 7 22 in. dia. bears N 5 W. 13 links dist; to
W. Oak 16 " " " S 50 E. 32 " "

40.50 To a Branch 13 links mid, Course W.

44.25 " " Do 15 " " " W.

47.50 " " Do 25 " " " W.

51.50 " " Do 6 " " " W.

63.50 " " Pond 200 " " " W.

67.00 " " Pond 750 " " " W.

80.00 To the Mile post set for the cor. to Sec. 28, 29, 32, 33
from which a Hick 7 34 in. dia. bears N 5 E. 29 lks dist
and an Ash 22 in dia. bears S 5 W. 115 lks dist.
Timber Cane, Oak, Hick; some Ash & Poplar.

West Between Sec 29 & 32 T. N^o 7 S. R. N^o 11 W.

12.00 To a Branch 20 links mid; Course N. 40 W.

19.89 To a Post on the Bank of the Ohio River from which
a Cottonwood 30 in. dia. bears S 45 W. 11 links dist; to

" Do 18 " " " N 30 E. 16 " "

Cane to the Branch; Timber Oak, Hick, Maple & Keropu?

East Between Sec 28 & 33 T. N^o 7 S. R. N^o 11 W.

T. N 7. S. R. N 11. W. 2nd Mer.

5. 50 To the Pond. 4.5.0. lbs. wide. Course N. 45. W.
 15. 50 To a Pond. 3.50. lbs. wide; Course N. 45. W.
 22. 00 To a Pond 2.00 " " " N. 45. W.
 30. 00 To a Pond 5.00 " " " N. 45. W.
 40. 00 Set a Simp^l post for the box to 1/4 Sec.
 41. 00 To a Pond 6.50. lbs. wide. Course N. 45. W.
 51. 50 To a Pond 3.50. " " " N. 45. W.
 73. 00 A Pond to the Port. ~ The Land Between the Ponds
 is Oak. Hickory. Gum. & Maple. & Covered with Cane.

West On True line Between Sec? 28. & 33. T. N 7. S. R. M. W.
 Blessed Back.

Set a Post for box to 1/4 Sec. from which a B. Oak 20. in? diam? bears
 9.24. N. 9. lbs. dir? & a B. Oak 18. in? diam? bears N. 58. E. 34. lbs. dir?

South Between Sec? 33. & 34. T. N 7. S. R. N 11. W.

160. To a Pond. Course E.

6. 00 To a Pond 2.50 lbs. wide. Course. N. 45. W.
 12. 50 To a Pond 2.50 " " " N. 45. W.
 18. 00 To a Pond 5.50 " " " N. 45. W.
 33. 00 To a Pond 2.50 " " " N. 45. W.
 38. 50 To a Pond 2.75. " " " N. 45. W.
 40. 00 Set a Post for the box to 1/4 Sec. from which a Maple 18 in?
 diam? bears S. 71. W. 27. lbs. dir? & an Elm 16. in? diam?
 bears S. 25. E. 45. lbs. dir?
 53. 50 To a Pond 2.00 lbs. wide. Course N. 45. W.
 56. 79 To a W. Oak 18. in? diam? which stands in the line.
 63. 00 To a Pond 1.50. lbs. wide; Course N. 45. W.
 72. 50 To a Pond 50. " " " N. 45. W.
 78. 25. Intersected the Range line 62. lbs. E of the Port & set a
 Post. from which a Hoopwood 12. in? diam? bears N. 59. E. 27. lbs.
 dir? & a Hickory 10. in? diam? bears N. 71. W. 33. lbs. dir?
 Timber. Oak. Hickory. Gum. & Maple. & Cane Between the Ponds

Apr 10. 1806.

South Between Sec? 32. & 33 T. N 7. S. R. N 11. W.

T. N. 7. J. R. N. 11. W. 2nd Mer.

27. 00 To a Branch 50. lbs. wide. Course N. 45. W.
 110. 00 To a Post for the line to the Sec. from which a Maple 2 1/4 in? diam? bears S. 43 E. 28. lbs. dist? & a Maple 30. in? diam? bears N. 25. E. 21. lbs. dist?
 63. 06 To a Hickory 33. in? diam? which stands in the line.
 77. 00 Intersection of the Range line 41. lbs. west of the Post & set a Post from which a Hickory 10. in? diam? bears N. 22. E. 39. lbs. dist? & an Ark 8. in? diam? bears N. 40. W. 34 lbs. dist? Come to the Branch; Timber. Ark Hopwood & Hickory Maple & Elm. Low ground from the Branch to the Post.

Apr. 5th 1806.

Meanders of the Ohio River. from a Post Between Towns 7 & 8. Sec? 1. & 12 and up the River Bank.

Course Dist

A. 15. E 20. 15

A. 3. E 23. 98.

A. 2. W 14. 62

A. 18 1/2 W. 20. 35 To a Post on the Bank. Between Sec? 25 & 36.

A. 14. W 9. 34

A. 18. W 68 75

A. 22. W 3. 72 To a Post Between Sec? 24 & 25.

A. 21. W 22. 92

A. 35. W 15. 87

A. 41 W 11. 00

A. 49. W 15. 30 To a Post Between Sec? 23 & 24.

A. 55 W. 14. 87

A. 64 1/2 W. 18. 00

A. 60. W 10. 12

A. 55. W. 12. 00

A. 50. W. 6. 36. To a Post Between Sec? 11 & 23.

Apr. 7th 1806.Apr. 10th 1806.

Meanders of the Ohio beginning at a Post. in the line Between Sec? 5 & 32. Towns 7 & 8.

T. No 7. S. No 11. N. 2nd Mer.

Course	Dist	
N 30. E	23.50	
N 32. E	16.25	
N 27. E	17.75	
N 25. E	18.25	
N 16. E	11.20	To a Port Between Sec. 29. & 32.
N 14. E	14.00	
N. 6. E	9.50	
N. 6. W.	12.50	
N 14. W.	12.50	Passing a Drain at 12.25.
N 20. W.	10.50	
N. 15. W.	20.25	
N 23. W.	11.50	To a Port Between Sec. 20. & 29.
N 26. W.	13.00	
N 36. W.	14.64	
N 45. W.	8.00	Passing a Drain of 7.50.
N 53. W.	27.00	
N 63. W.	12.12	To a Port Between Sec. 19. & 20.
N 63. W.	7.50	
N 75. W.	8.24	
N 81. W.	22.00	
West	5.00	
S. 82. W.	9.30	To the Mouth of the Bayou 2.50. lbs. wide. To which place I measured the River. in the last winter's Survey. This completes the 11 th Range. This 15 th day of April 1806. This is the End of the notes for Town 7. which is now completed.

Surveyed by

Jacob Fisher D. C.

~~I certify that the foregoing Transcript of the Field notes of Township No 7. South of Range No 11. West of the 2nd Mer. (Ind.) has been compared with the Original notes in this Office & found to be correct.~~

~~Surveyor General's Office~~

~~Dec 3rd 1839.~~

Loose forward,

Town^r J. S. R. H. W. 2^d Mer Indⁿ,
North Boundary,

Var. —
 East Qu. S. Boundary of Sec 35, T. 6 S. R. 12 W.
 from cor to Sec 34 & 35 —
 15.25 A Cottonwood 7 feet dia.
 35.15 A Maple on the Bank of Ohio River
 a Cottonwood 24 in dia W N 15 W 35 E 10 +
 A Maple 10 " " " S 45 W 15 " ,
 Level Bottom. Jan'y 16, 1806,

West Qu. S. Boundary of Sec 34, T. 6 S. R. 12 W.,
 22.50 A Branch 50 lks wide Course S. 45 W.,
 40.00 Set of Sec Post from which
 a R. Oak 24 in dia W N 72 E 11 lks +
 a R " 23 " " " N 18 E 43 " ,
 43.50 A Post Road,
 62.50 A Branch 20 lks wide Course S.,
 65.00 over hilly ground to the mile post,
 80.00 Set post cor to Sec 33 & 34 from which
 a R. Oak 12 in dia W N 76 E 66 lks +
 a Poplar 12 " " " S 72 W 17 " ,
 Oak, Poplar & Hickory. Jan'y 16, 1806,

West Qu. S. Boundary of Sec 33, T. 6 S. R. 11 W.,
 10.00 A Branch 6 lks wide Course S. 20 E.,
 40.00 Set of Sec Post from which
 a R. Oak 14 in dia W N 81 W 38 lks +
 a do 20 " " " N 39 W 38 " ,
 80.00 Set mile post from which
 a Poplar 18 in dia W N 85 E 24 lks +
 a do 12 " " " S 25 W 34 " ,
 Ridgy Land, Oak & Poplar,

West Qu. S. Boundary of Sec 32, T. 6 S. R. 11 W.,
 18.88 A Branch 20 lks wide Course S. 30 E.,
 40.00 Set of Sec Post from which

F. J. S. R. 11. 78, 2nd Mer Ind^a.

at M. Oak 15 in dia b^p S 31 E 7 lks +
 a Sum 8 " " " N 20 W 24 "
 80.00 a mile post from which
 a poplar 14 in dia b^p S 58 W 7 lks +
 a do 22 " " " S 34 E 28 "
 Ridgy Oak, Poplar & Sugar,

West In S. Boundary of the 31, F. J. S. R. 11. 78
 38.00 a Branch 12 lks wide Course S. 40 W.
 40.00 Set of the Post from which
 a Sugar 13 in dia b^p N 40 E 16 lks +
 a R. Oak 30 " " " N 10 E 25 "
 45.02 a Branch 6 lks wide Course S.
 68.00 a do 12 " " " S.
 72.75 a do 6 " " " S.
 109.25 Intersect 300 lks N. of Iron Corner.
 January 17, 1806,
 Jacob Fowler ds.

West Boundary.

Var. —

South On E. Boundary of the F. J. S. R. 12. 78,
 11.85 a Poplar 14 in dia,
 20.00 a Branch 6 lks wide Course S. 70.
 31.50 a Brook 18 lks " " S. E.
 33.00 Same Brook Course S. 70.
 35.00 " do " S. E.
 38.50 " do " S. W.
 39.25 " do " S. E.
 40.00 Set of the Post from which
 a poplar 30 in dia b^p S 8 W 21 lks +
 a M. Oak 36 " " " N 33 E 13 "
 52.75 a do 30 " " "
 80.00 Set post on to the 1 + 12 from which
 a M. Oak 24 in dia b^p S 41 W 50 lks +

T. J. S. R. 11. W. 2^a Mer End^a
ch. LKS.

a Hickory 13 in dia B P N 54 W 26 1/2 K^x
Land Rolling & part Hilly good Soil.
Timber Poplar, Oak, Hickory,
Ash &c. mud Geo Spice Dogwood &c.

South A. C. Boundary of Sec 12, T. J. S. R. 11 W.

25.70 a Red Oak 30 in dia,

40.00 Set of Sec Post from which

a Blk Gum 12 in dia B P S 9 W 20 1/2 K^x

a Blk Oak 36 " " " N 12 E 12 "

55.16 an Elm 12 " "

67.40 a Brook 14 K^x will course S. E.

80.00 Set post for to Sec 12 & 13 from which

a B. Oak 45 in dia B P S 42 W 69 K^x

a Blum 20 " " " S 66 1/2 W 68 "

Land Hilly & rich. Timber Oak

Hickory &c.

South A. C. Boundary of Sec 13, T. J. S. R. 11 W.

34.00 a B. Oak 15 in dia B.

40.00 Set of Sec Post from which

a Red Oak 16 in dia B P S 65 W 20 1/2 K^x

a DV 19 " " " N 35 E 35 "

41.00 a Hickory 24 " "

80.00 Set post for to Sec 13 & 24 from which

a B. Oak 30 in dia B P S 46 W 57 1/2 K^x

a R " 10 " " " S 64 1/2 W 44 "

Land very Hilly. Timber &c same.

South A. C. Boundary of Sec 24, T. J. S. R. 11 W.

16.59 a Red Oak 20 in dia,

36.25 Set Post on Bank of the Ohio River

On to Town of T. J. R. 11 & 12. W. from which

a Honey Locust 10 in dia B P N 76 W 14 1/2 K^x

a Pecan tree 30 " " " N 77 E 41 "

497

chrs F. J. S. R. 11. N. 2^a Mer. Secd^a

Land Hilley & Rich. Timber
Poplar Ash. Oak. Buck &c,
The above corner is 1 1/2 miles above
Diamond Isle, 12 miles below
the Red banks & 33 miles by Water
above the mouth of the Washash,
Wm. Rector D.S.

Wm. Aldham
Stephen Rector & Chairman,
Jeremiah Billska,
Christopher Aldred & Monkers,

Surveyor General's Office,
Detroit April 24, 1846 &

I hereby certify that
the foregoing Transcript of the field
notes of Township 7. South Range 11.
West of the 2^a Mer. Secd^a has
been compared with the original
notes in this office and found to be
Correct,

Sr. Genl.